5

6 7

8

9 10

11

13

12

15

14

16

17 18

19 20

22

21

23

24

Claims 1-9 and 11-36 were originally pending.

Please cancel claims 17-24 and 32 without prejudice.

Kindly amend claim 31.

Accordingly, claims 1-9, 11-16, 25-31, and 33-36 remain pending.

(Original) One or more computer readable media having stored 1. thereon a plurality of instructions that, when executed by one or more processors, causes the one or more processors to perform acts including:

selecting a portion of a digital good;

selecting another portion of the digital good, wherein the other portion is to be encrypted; and

using the portion as a substitution box (S-box) when encrypting the other portion.

- (Original) One or more computer readable-media as recited in claim 2. 1, wherein the entire digital good is to be encrypted.
- (Original) One or more computer readable media as recited in claim 3. 1, wherein the using comprises determining, for each group of bits of the other portion, a new group of bits based on the portion.
- 4. (Original) One or more computer readable media as recited in claim 1, wherein the using comprises using bits of the portion to determine a substitution sub-portion for each sub-portion in the other portion.

- 5. (Original) One or more computer readable media as recited in claim4, wherein the sub-portion comprises a byte.
- 6. (Original) One or more computer readable media as recited in claim 1, wherein the digital good comprises a software program.
- 7. (Original) One or more computer readable media as recited in claim 1, wherein the digital good includes video content.
 - 8. (Previously presented) A method comprising: selecting a segment of a digital good;

selecting another segment of the digital good, wherein the other segment is to be encrypted using an encryption process; and

mapping, as at least part of the encryption process, values within the other segment to new values based on the segment, wherein the mapping comprises using the segment as a substitution box (S-box) during the encryption process.

- 9. (Original) A method as recited in claim 8, wherein the entire digital good is to be encrypted by the encryption process.
 - 10. (Canceled).

11. (Original) A method as recited in claim 8, wherein the mapping comprises determining, for each group of bits of the other segment, a new group of bits based on the segment.

- 12. (Original) A method as recited in claim 8, wherein the mapping comprises using bits of the segment to determine a new value for each value in the other segment.
- 13. (Original) A method as recited in claim 8, wherein the digital good comprises a software program.
- 14. (Original) A method as recited in claim 8, wherein the digital good includes video content.
- 15. (Original) A method as recited in claim 8, wherein the encryption process uses a Data Encryption Standard (DES) cipher.
- 16. (Original) One or more computer-readable memories comprising computer-readable instructions that, when executed by a processor, direct a computer system to perform the method as recited in claim 8.

17-24. (Canceled)

25. (Original) A production system, comprising: a memory to store an original program; and

12

14

13

15 16

17 18

19

20

21

22

24

23

25

a production server equipped with a substitution box (S-box) protection tool that is used to augment the original program for protection purposes, the production server being configured to identify a first segment in the original program and use the first segment as an S-box when encrypting a second segment of the original program.

(Original) A production system as recited in claim 25, wherein the 26. production server is further configured to use the first segment as an S-box by determining, for each group of bits of the second segment, a new group of bits based on the first segment.

- (Original) A production system as recited in claim 25, wherein the 27. production server is further configured to use the first segment as an S-box by using bits of the first segment to determine a substitution value for each value in the second segment.
- (Original) A production system as recited in claim 25, wherein the 28. production server is to encrypt the entire digital good.
- (Original) A production system as recited in claim 25, wherein the 29. digital good includes one or more of: a software program, audio content, and video content.

30. (Original) A production system as recited in claim 25, wherein the production server uses a Data Encryption Standard (DES) cipher to encrypt the second segment.

31. (Currently amended) A client-server system, comprising:

a production server to use a portion of a first digital good as a substitution box (S-box) in encrypting at least a portion of a second digital good to produce a protected digital good; and

a client to store and execute the protected digital good, the client being configured to evaluate the protected digital good to determine whether the protected digital good has been tampered with: and

wherein the first digital good and the second digital good are the same digital good.

32. (Canceled)

33. (Original) One or more computer readable media having stored thereon a plurality of instructions that, when executed by one or more processors, causes the one or more processors to perform acts including:

decrypting at least a portion of a digital good by using another portion of the digital good as a substitution box (S-box).

34. (Original) One or more computer readable media as recited in claim 33, wherein the decrypting is based at least in part on a Data Encryption Standard (DES) cipher.

2	
3	
4	
5	
6	
7	
8	
9	
10	
11	
12	
13	
14	
15	
16	
17	
18	
19	
20	
21	
22	
23	
24	
25	

- 35. (Original) One or more computer readable media as recited in claim 33, wherein the decrypting comprises using bits of the other portion to determine a substitution value for each value in the portion.
- 36. (Original) One or more computer readable media as recited in claim 33, wherein the digital good includes one or more of: a software program, audio content, and video content.